

**Notice of Allowability**

Application No.

10/541,600

Examiner

Hae M. Hyeon

Applicant(s)

LE GALLIC, HERVE

Art Unit

2839

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to Amendment filed on 7-24-06.
2. ☒ The allowed claim(s) is/are 1 and 3-11.
3. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some\* c) ☐ None of the:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☒ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
- (a) ☐ including changes required by the Notice of Draftperson's Patent Drawing Review (PTO-948) attached
- 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
- (b) ☒ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date 20060809.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)
3. ☒ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date 7/24/06
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413), Paper No./Mail Date \_\_\_\_\_.
7. ☒ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other \_\_\_\_\_.

*Hae Moon Hyeon*  
**HAE MOON HYEON**  
**PRIMARY EXAMINER**

### **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with the attorney Mark F. Harrington on Wednesday, August 09, 2006.

The application has been amended as follows:

In the specification

- Page 7, line 5, "and through apertures 40 and 41" has been inserted after "into the plane"

In the Amended claims filed on July 24, 2006

- Claim 6, line 9, "designed to be" has been deleted.

2. The following changes to the drawings have been approved by the examiner and agreed upon by applicant: The reference numbers "40" and "41" for the apertures will be added in the drawings. In order to avoid abandonment of the application, applicant must make these above agreed upon drawing changes.

### **REASON FOR ALLOWANCE**

3. The following is an examiner's statement of reasons for allowance:

For claim 1, in combination with all the limitations recited in the independent claim, all the prior arts do not show a plug connector comprising a flat planar member compression contact

Art Unit: 2839

terminal having a connection end, an intermediate spring part, and a contact end, wherein the contact end having at least one protuberance formed at an edge of the flat planar member along a plane of the flat planar member.

For claim 9, in combination with all the limitations recited in the independent claim, all the prior arts do not show a plug connector comprising a flat planar member compression contact terminal having a connection end, an intermediate spring part, and a contact end, wherein the contact end has at least one protuberance, which has a cut-out face to force a lateral movement of the contact end when the protuberance slides against a wall of a cavity of an insulating body; and has at least one aperture receiving a projection of the insulating body to fixedly hold the connection end in the insulating body.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hae M. Hyeon whose telephone number is 571-272-2093. The examiner can normally be reached on Mon.-Fri. (8:30-5:30).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Tulsidas C. Patel can be reached on (571) 272-2098. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2839

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Hae M Hyeon  
Primary Examiner  
Art Unit 2839

hnh

*hnh*

*Hae Moon Hyeon*